



UNIVERSITY OF NAIROBI

**ASSESSING THE TEMPORAL AND SPATIAL CHARACTERISTICS OF RAINFALL
AND TEMPERATURE OVER SOUTH SUDAN**

BY

PAULINO OMOJ OMAI

I54/69929/2013

**A DISSERTATION SUBMITTED IN PARTIAL FULFILMENT OF THE
REQUIREMENTS FOR THE DEGREE OF MASTER OF SCIENCE IN
CLIMATE CHANGE**

JULY 2015

DECLARATION

I declare that this dissertation is my original work and has not been presented for a degree in any other University.

Signature.....Date.....

Paulino Omoj Omay

I54/69929/2013

This dissertation has been submitted for examination with our approval as University Supervisors:

Signature.....Date.....

Prof. Laban Ogallo

Signature.....Date.....

Dr. Christopher Oludhe

Signature.....Date.....

Dr. Wilson Gitau

Department of Meteorology

University of Nairobi

P. O. Box 30197 – 00100

Nairobi, Kenya

www.uonbi.ac.ke

DEDICATION

This work is dedicated to my family, friends and IGAD Climate Prediction and Application Center (ICPAC).

ABSTRACT

Climate extremes including droughts, floods, and high/low temperatures are recurrent in southern Sudan and whenever they occur, they are associated with many socio-economic miseries. Recent assessment by IPCC, (2013) has shown that climate change is real with many parts of the world likely to face more frequent and severer climate extremes. This study is aimed at enhancing our understanding of past and present characteristics of climate extremes over South Sudan based on space-time patterns of the past rainfall and temperature extremes. The datasets used in this study were monthly rainfall and temperature, Sea Surface Temperatures over tropical Indian Ocean and Niño regions (Niño1+2, Niño3, Niño3.4 and Niño4) over the equatorial Pacific Ocean for the period 1961 to 2013. Temperature records included both maximum and minimum values for the period 1954 to 2013. The temporal characteristics examined included seasonal trends, and inter-annual recurrences of the extreme lowest/ largest values. The trends were examined using graphical and statistical techniques. This included fitting determination of trends and testing their significance using non-parametric statistical approaches that included the use of Mann Kendall Statistics. Standardized Precipitation Index, Simple probability of occurrence statistics and Spectral analysis were also used to investigate the characteristics of the interannual recurrences of the rainfall and temperature extremes. The Pearson correlation and composite analyses were also used to investigate linkage between seasonal rainfall and El Niño Southern Oscillation (ENSO) and Indian Ocean Dipole (IOD) events.

The seasonal patterns of both rainfall records showed that the June, July and August (JJA) season is the peak rainfall season over south Sudan, which contributes more than 50% of annual rainfall. The highest maximum temperatures were observed during the March, April and May (MAM) season, while lowest minimum temperature was observed during the December, January and February (DJF) season. Results from the trend analysis showed insufficient statistical evidence of a significance of increasing/ declining trends in amount of annual and seasonal rainfall at many locations, while both maximum and minimum temperature indicated statistical significant evidence of increasing trends for all locations considered in study at 0.05 level of significant. The inter-annual patterns of rainfall indicated recurrent patterns of floods and droughts over

some locations used in the study. The Spectral analysis of rainfall and temperature showed significant recurrent modes of one to two spectral peaks within period of 3 to 8 years, which can be attributed to some common large scale forcing mechanisms within atmosphere and ocean components such as Quasi-Biennial Oscillation (QBO) in the lower stratospheric zonal winds, El Niño and La Niña events.

The observed spatial patterns of rainfall and temperature for current period 1984-2013 relative to 1954-1983 and 1961-1990 indicated that, climate change and variability signals are real in south Sudan and results showed insignificant decline in amount of rainfall and significant increasing of temperature over most locations in south Sudan. The variations in spatial patterns confirmed by probability distributions of Long Term Mean (LTM) of rainfall and temperature of two periods (1954-1983) and present (1984-2013), which showed increase in both means and variance and changes in asymmetry toward the hotter and heat waves for temperature and high probability of occurrence of drought, floods for rainfall.

The correlation coefficients and regression model between seasonal rainfall and IOD and ENSO events at zero and one Lag season indicated weak teleconnection and IOD and ENSO contributing less than 20% of variability in rainfall. The composite analysis established facts that most of locations observed normal rainfall and some of the extreme rainfall conditions that occurred over South Sudan were found not coincide with positive and negative IOD and weak, moderate and strong ENSO phases. These results can help policymakers to make more informed knowledge based decisions for mainstreaming of climate related risks into sustainable development policies, Disaster Risk Reduction (DRR) and Climate Change Adaptation (CCA) strategies.

TABLE OF CONTENT

Declaration	II
Dedication	III
Abstract	IV
List of figures	IX
List of tables.....	XII
List of acronyms	XIII
CHAPTER ONE	1
1.0 INTRODUCTION	1
1.1. Background Information.....	1
1.2. Problem Statement	3
1.3. Study Objectives	4
1.4. Justification.....	5
1.5. Area of the Study.....	6
1.5.1. Location and Physical Features of the Study Area	6
1.5.2. Climate of the study area	7
1.5.3. Soils and vegetation	8
1.6. Factors Influencing Rainfall and Temperature over South Sudan	9
1.6.1. Inter-Tropical Convergence Zone (ITCZ)	10
1.6.2. El-Niño Southern Oscillation (ENSO)	11
1.6.3. Indian Ocean Dipole	12
1.6.4. Monsoon Winds	14
1.6.5. Subtropical Anticyclones.....	14
CHAPTER TWO	16
2. LITERTURE REVIEW.....	16
2.1 Climate Change and Variability	16
2.2 Temporal and Spatial Characteristics of Rainfall and Temperature	19
2.3 Rainfall and Temperature Extremes	21
2.4 Climate Change and Variability and Extremes impacts	23
2.5 Teleconnections between rainfall and Indian Ocean dipole (IOD) and ENSO events	25
CHAPTER THREE.....	29